



140 Stonewall Avenue West, Ste 204 Fayetteville, GA 30214 Phone: 770-305-5420 www.fayettecountyga.gov

November 4, 2022

Subject: ITB #2186-B: Crack Sealing Services Addendum #1

Gentlemen/Ladies:

Below, please find responses to questions, clarification, or additional information for the above referenced ITB. You will need to consider this information when preparing your bid.

- How do we receive a bid tab analysis from previous contracts Fayette County engaged in with scopes like this bid?
 Please see the attached tally sheets for the last two prior bids.
- 2. I noticed in your bid for crack seal work, that you specify "Sealmaster Type S" sealant. I respectfully request that an addendum is put out, adding Crafco 34518GA, as an accepted product, as we are state approved. Please see the attached updated bid specifications.

Received by (Name):	Company	
received by (runne)		

Note: If this addendum is not returned to the Fayette County Purchasing Department or if it is returned not signed, responding individuals, companies or other organizations will still be responsible for the requirements of this addendum and the specifications or changes herein.

The opening date for this ITB has not changed. The opening time and date are 3:00pm, Tuesday, November 15, 2022. Bids must be received by the Purchasing Department at the address above, Suite 204, at or before the opening date and time.

The deadline for inquiries has passed, so the Purchasing Department will not be able to accept any additional questions after this time.

If you have questions, please contact Sherry White, Contract Administrator at (770) 305-5314, fax (770) 719-5544 or email at $\underline{\text{swhite@fayettecountyga.gov}}$.

Sincerely.

Ted L. Burgess

Director of Purchasing

TALLY SHEET

BID NUMBER: #2002-B
BID NAME: CRACK SEALING SERVICES
OPENING DATE: 3:00pm, September 28, 2021

	COMPANIES NAME:	COST PER MILE	TOTAL MILES	TOTAL BID PRICE
-	REMAC	00 002 68	10.3	00 010 000
		00:00	C.O.1	999,910.00
2	NATIONAL INDUSTRIAL MAINTENANCE	\$8,500.00	10.3	\$87,550.00
ω	BRIGGS BROTHERS	\$6.727.96	10.3	869 297 99
4	WALL ASPHALT SERVICES, INC	\$6,450.00	10.3	\$66.435.00
ν.	BLOUNT	\$5 048 98	103	\$52,007.70
9);;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
7				

PRICING SHEET ITB #2014-B: MICRO SURFACING

			Atlanta Paving System, Inc.	
DESCRIPTION	ESTIMATED QTY	UNIT OF MEASUREMENT	UNIT PRICE	EXTENDED PRICE
MOBILIZATION & TRAFFIC CONTROL	1	Lump Sum		31,000.00
CRACK SEAL	5.39	Miles	5,720.00	30,830.80
SINGLE SURFACE TREATMENT	97,900	Square Yard	1.83	179,157.00
SINGLE APPLICATION MICRO SURFACING	109,400	Square Yard	2.86	312,884.00
DOUBLE APPLICATION MICRO SURFACING	6,400	Square Yard	5.44	34,816.00
4" TEMPORARY YELLOW PAINT	16.06	Miles	1,540.00	24,732.40
	613,420.20			

SPECIFICATIONS

ITB #2186-B Crack Sealing Services

INTRODUCTION

Bids are being solicited to supply Fayette County Public Works Department with crack sealing (PMAR) services on 15.89 center line miles of various streets in Fayette County and the Town of Tyrone.

Specifications:

- 1. The work will require bidder to provide all labor, administrative forces, equipment, materials and other incidental items to seal cracks at designated locations.
- 2. The successful primary vendor will be utilized primarily, but in the event the primary vendor cannot meet the needs of the Fayette County Public Works Department, the secondary vendor shall be contacted to meet our hauling needs.
- 3. The vendor shall warranty all completed work from installation date for 6 months.
- 4. Normal workday for this project shall be 8:00 AM to 3:30 PM and the normal work shall be Monday thru Friday. The County will consider extending workdays or workweeks upon written request to the County by the Vendor on a case-by-case basis. No work will be allowed on national holidays.
- 5. Cracks in the existing pavements that are one quarter inch or greater in width shall be cleaned and sealed according to GDOT joint sealing specifications (Section 407).
- 6. Cracks should be cleaned of foreign material and prepared per specifications prior to placing the sealing material.
- 7. All materials will meet appropriate GDOT specifications for Crack Sealing Material Type **Poly-Modified Asphalt Rubber (PMAR)** and the county shall require products to be use from an approved GDOT material source from the QPL #92C list.
- 8. The quantities given are estimates only and may vary from those indicated by the contract. The County reserves the right to increase and decrease item at any time.
- 9. The Vendor shall, at all times, conduct his work so as to assure the least possible obstruction of traffic. The Vendor as specified in the State of Georgia Department of Transportation Standard Specifications, Section 104.05 and 107.09 should provide for the safety and convenience of the general public and the residents along the roadways and the protection of persons and property.
- 10. Cracks in the existing pavements that are one quarter inch or greater in width shall be cleaned and sealed according to the GDOT joint sealing specifications (Section 407). Cracks should be cleaned of foreign material prepared per the specifications prior to placing the sealing material. Crack sealing shall be paid for at the contract unit price per linear mile of roadway.
- 11. Beginning with mobilization and ending with acceptance of work, the Vendor shall be responsible for providing a clean and safe work environment at the project site. The Vendor shall comply with all OSHA regulations as they pertain to this project.
- 12. Quantities will be measured and paid by centerline mile for each road.