

Purchasing Department

140 Stonewall Avenue West, Ste 204 Fayetteville, GA 30214 Phone: 770-305-5420 www.fayettecountyga.gov

September 25, 2025

Subject: Request for Quotes #26008-A FIRE SPRINKLER INSPECTION

Gentlemen/Ladies:

Fayette County, Georgia invites you to submit a quote for the above listed solicitation in accordance with the information and specifications contained herein.

A mandatory pre-quote conference will be held at 9:00a.m., Thursday, October 9, 2025, at Fayette County Administrative Complex, 140 Stonewall Avenue W., Fayetteville, GA 30214. All sites will be visited one at a time following the meeting. All companies and interested parties are invited and strongly urged to attend. This will be the opportunity to voice all questions, concerns and comments and have them addressed about this Request for Quotes and have them addressed

Address any questions you may have about this request for quotes to Sherry White via email to swhite@fayettecountyga.gov or fax to (770) 719-5544. Questions will be accepted until 2:00p.m., Friday, October 10, 2025.

Quotes will be accepted until 3:00p.m., Thursday, October 16, 2025. Please provide your quote and other information via email to Sherry White, Contract Administrator at swhite@fayettecountyga.gov or fax to (770) 719-5544.

Purchasing Department office hours are Monday through Friday 8:00 a.m. to 5:00 p.m. The office telephone number is (770) 305-5420.

Sincerely,

Ted L. Burgess

Chief Procurement Officer

TLB/sw

Attachment

GENERAL TERMS AND CONDITIONS RFQ #26008-A FIRE SPRINKLER INSPECTION

1. Definitions:

- a. Responder: A company or individual who submits a quote in response to this RFQ.
- b. Successful Responder: The Responder that is awarded a contract.
- c. Contractor: The Successful Responder, upon execution of the contract.
- d. County: Fayette County, Georgia.
- 2. Quote is Offer to Contract: Each quote constitutes an offer to become legally bound to a contract with the County, incorporating the Request for Quotes and the Responder's quote. The binding offer includes compliance with all terms, conditions, special conditions, specifications, and requirements stated in the Request for Quotes, except to the extent that a Responder takes written exception to such provisions, and the County agrees to the exceptions. All such terms, conditions, special conditions, specifications, and requirements will form the basis of the contract. The Responder should take care to answer all questions and provide all requested information, and to note any exceptions in the quote submission. Failure to observe any of the instructions or conditions in this Request for Quotes may result in rejection of the quote.
- 3. **Binding Offer**: To allow sufficient time for a contract to be awarded, each quote shall constitute a firm offer that is binding for ninety (90) days from the received by date to the date of award.
- 4. **References**: Include with your quote a list of three (3) jobs that your company has done that are of the same or similar nature to the work described in this Request for Quotes, on the form provided. Include all information as requested on the form.
- 5. **Preparation Costs**: The Responder shall bear all costs associated with preparing the quote.
- 6. **More Than One Quote**: Do not submit alternate quotes or options, unless requested or authorized by the County in the Request for Quotes. If a Responder submits more than one quote without being requested or authorized to do so, the County may disqualify the quotes from that Responder, at the County's option.
- 7. Defects or Irregularities: The County reserves the right to waive any defect or irregularity in any quote received. In case of a discrepancy between unit prices and extended prices, the unit price will govern unless the facts or other considerations indicate another basis for correction of the discrepancy.
- 8. **Prices Held Firm**: Prices quoted shall be firm for the period of the contract, unless otherwise specified in the quote. All prices for commodities, supplies, equipment, or other products shall be quoted FOB Destination, Fayette County or job site.
- 9. **Responder Substitutions:** Responders offering substitutions or deviations from specifications stated in the Request for Quotes, shall list such substitutions or deviations on the "Exceptions to Specifications" sheet provided, or on a separate sheet to be submitted with the quote. The absence of such list shall indicate that the Responder has taken no exception to the specifications. The evaluation of quotes and the determination as to equality and acceptability of products or services offered shall be the responsibility of the County.
- 10. Non-Collusion: By responding to this Request for Quotes, the Responder represents that the quote

is not made in connection with any competing Responder, supplier, or service provider submitting a separate response to this Request for Quotes, and is in all respects fair and without collusion or fraud.

11. Ethics – Disclosure of Relationships: Before a proposed contract in excess of \$10,000.00 is recommended for award to the Board of Commissioners or the County Administrator, or before the County renews, extends, or otherwise modifies a contract after it has been awarded, the Contractor must disclose certain relationships with any County Commissioner or County Official, or their spouse, mother, father, grandparent, brother, sister, son or daughter related by blood, adoption, or marriage (including in-laws). A relationship that must be reported exists if any of these individuals is a director, officer, partner, or employee, or has a substantial financial interest the business, as described in Fayette County Ordinance Chapter 2, Article IV, Division 3 (Code of Ethics).

If such relationship exists between your company and any individual mentioned above, relevant information must be presented in the form of a written letter to the Director of Purchasing. You must include the letter with any bid, proposal, or price quote you submit to the Purchasing Department.

In the event that a Contractor fails to comply with this requirement, the County will take action as appropriate to the situation, which may include actions up to and including rejection of the bid or offer, cancellation of the contract in question, or debarment or suspension from award of a County contract for a period of up to three years.

- 12. **Evaluation:** Award will be made to the lowest responsive, responsible Responder, taking into consideration payment terms, vendor qualifications and experience, quality, references, any exceptions listed, and/or other factors deemed relevant in making the award. The County may make such investigation as it deems necessary to determine the ability of the Responder to perform, and the Contractor shall furnish to the County all information and data for this purpose as the County may request. The County reserves the right to reject any item, any quote, or all quotes, and to resolicit for pricing.
- 13. Payment Terms and Discounts: The County's standard payment terms are Net 30. Any deviation from standard payment terms must be specified in the resulting contract, and both parties must agree on such deviation. Cash discounts offered will be a consideration in awarding the quote, but only if they give the County at least 15 days from receipt of invoice to pay. For taking discounts, time will be computed from the date of invoice acceptance by the County, or the date a correct invoice is received, whichever is the later date. Payment is deemed made, for the purpose of earning the discount, on the date of the check.
- 14. **Trade Secrets Internal Use:** In submitting a quote, the Responder agrees that the County may reveal any trade secret materials contained in the quote to all County staff and officials involved in the selection process, and to any outside consultant or other third parties who may assist in the selection process. The Responder agrees to hold harmless the County and each of its officers, employees, and agents from all costs, damages, and expenses incurred in connection with refusing to disclose any material which the Responder has designated as a trade secret.
- 15. **Term of Contract:** The initial term of this agreement shall begin with the Notice to Proceed and continue through June 30, 2026. Thereafter, this agreement may be renewed for two additional one-year renewal terms (each a "Renewal Term" and together with the Initial Term, the "Term") if the Contractor requests such renewal at least sixty (60) days prior to expiration of the Initial Term or

the then-current Renewal Term. If the Contractor fails to request renewal, this Agreement may terminate at the end of the Initial Term or the then-current Renewal Term. This agreement is subject to the multi-year contractual provisions of O.C.G.A. § 36-60-13(a).

- 16. **Unavailability of Funds**: This contract will terminate immediately and absolutely at such time as appropriated and otherwise unobligated funds are no longer available to satisfy the obligations of the County under the contract.
- 17. **Insurance**: The Successful Responder shall procure and maintain the following insurance, to be in effect throughout the term of the contract, in at least the amounts and limits as follows:
 - a. **General Liability Insurance**: \$1,000,000 combined single limit per occurrence, including bodily and personal injury, destruction of property, and contractual liability.
 - b. **Automobile Liability Insurance**: \$1,000,000 combined single limit each occurrence, including bodily injury and property damage liability.
 - c. **Worker's Compensation & Employer's Liability Insurance**: Workers Compensation as required by Georgia statute.

Before a contract is executed, the Certificates of Insurance for all required coverage shall be submitted to the County. The certificate shall list an additional insured as follows:

Fayette County, Georgia 140 Stonewall Avenue West Fayetteville, GA 30214

- 18. **Unauthorized Performance:** The County will not compensate the Contractor for work performed unless the work is authorized under the contract, as initially executed or as amended.
- 19. **Assignment of Contract:** Assignment of any contract resulting from this Request for Quotes will not be authorized, except with express written authorization from the County.
- 20. Indemnification: The Contractor shall indemnify and save the County and all its officers, agents and employees harmless from all suits, actions, or other claims of any character, name and description brought for or on account of any damages, losses, or expenses to the extent caused by or resulting from the negligence, recklessness, or intentionally wrongful conduct of the Contractor or other persons employed or utilized by the Contractor in the performance of the contract. The Contractor shall pay any judgment with cost which may be obtained against the County growing out of such damages, losses, or expenses.
- 21. **Severability**: The invalidity of one or more of the phrases, sentences, clauses or sections contained in the contract shall not affect the validity of the remaining portion of the contract. If any provision of the contract is held to be unenforceable, then both parties shall be relieved of all obligations arising under such provision to the extent that the provision is unenforceable. In such case, the contract shall be deemed amended to the extent necessary to make it enforceable while preserving its intent.
- 22. **Delivery Failures:** If the Contractor fails to deliver contracted goods or services within the time specified in the contract, or fails to replace rejected items in a timely manner, the County shall have

- authority to make open-market purchases of comparable goods or services. The County shall have the right to invoice the Contractor for any excess expenses incurred, or deduct such amount from monies owed the Contractor. Such purchases shall be deducted from contracted quantities.
- 23. **Termination for Cause**: The County may terminate the contract for cause by sending written notice to the Contractor of the Contractor's default in the performance of any term of this agreement. Termination shall be without prejudice to any of the County's rights or remedies by law.
- 24. **Termination for Convenience**: The County may terminate the contract for its convenience at any time with 10 days' written notice to the Contractor. In the event of termination for convenience, the County will pay the Contractor for services performed. The County will compensate partially completed performance based upon a signed statement of completion.
- 25. **Force Majeure**: Neither party shall be deemed to be in breach of the contract to the extent that performance of its obligations is delayed, restricted, or prevented by reason of any act of God, natural disaster, act of government, or any other act or condition beyond the reasonable control of the party in question.
- 26. **Governing Law**: This agreement shall be governed in accordance with the laws of the State of Georgia. The parties agree to submit to the jurisdiction in Georgia, and further agree that any cause of action arising under this agreement shall be required to be brought in proper venue in Fayette County, Georgia.

Checklist of Required Documents

(Be Sure to Return This Checklist and the Required Documents in the order listed below)

RFQ #26008-A FIRE SPRINKLER INSPECTION

Company information – on the form provided	
References – on form provided	
References of form provided	
Contractor Affidavit under O.C.G.A. § 13-10-91(b)(1)	
Pricing sheet	
List of exceptions, if any – on the form provided	
Addenda, signed, if any are issued	
ONADANIV'S NIANAE	

COMPANY INFORMATION RFQ #26008-A FIRE SPRINKLER INSPECTION

A. COMPANY Company Name: _____ Physical Address: _____ Mailing Address (if different): ______ Website (if applicable): **B. AUTHORIZED REPRESENTATIVE** Signature: _____ Printed or Typed Name: _____ Title: _____ E-mail Address: Phone Number: C. PROJECT CONTACT PERSON Name: _____ Title: E-mail Address: Phone Number: _____

REFERENCES RFQ #2560 FIRE SPRINKLER INSPECTION

Please list three (3) references for current or recent customers who can verify the quality of service your company provides. Projects of similar size and scope are preferable.

Government/Company Name	
	Email
2. Government/Company Name	
City & State	
Work or Service Provided	
Approximate Completion Date	
Contact Person and Title	
Phone	Email
3. Government/Company Name	
City & State	
Work or Service Provided	
Contact Person and Title	
Phone	Email
COMPANY'S NAME:	

Contractor Affidavit under O.C.G.A. § 13-10-91(b)(l)

The undersigned contractor ("Contractor") executes this Affidavit to comply with O.C.G.A § 13-10-91 related to any contract to which Contractor is a party that is subject to O.C.G.A. § 13-10-91 and hereby verifies its compliance with O.C.G.A. § 13-10-91, attesting as follows:

- a) The Contractor has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program;
- b) The Contractor will continue to use the federal work authorization program throughout the contract period, including any renewal or extension thereof;
- c) The Contractor will notify the public employer in the event the Contractor ceases to utilize the federal work authorization program during the contract period, including renewals or extensions thereof;
- d) The Contractor understands that ceasing to utilize the federal work authorization program constitutes a material breach of Contract:
- e) The Contractor will contract for the performance of services in satisfaction of such contract only with subcontractors who present an affidavit to the Contractor with the information required by O.C.G.A. § 13-10-91(a), (b), and (c);
- f) The Contractor acknowledges and agrees that this Affidavit shall be incorporated into any contract(s) subject to the provisions of O.C.G.A. § 13-10-91 for the project listed below to which Contractor is a party after the date hereof without further action or consent by Contractor; and
- g) Contractor acknowledges its responsibility to submit copies of any affidavits, drivers' licenses, and identification cards required pursuant to O.C.G.A. § 13-10-91 to the public employer within five business days of receipt.

Federal Work Authorization User Identification Number	Date of Authorization
	#26008 FIRE SPRINKLER INSPECTION
Name of Contractor	Name of Project
Fayette County, Georgia	
Name of Public Employer	
I hereby declare under penalty of perjury that the foregoing is	true and correct.
Executed on,, 20 in	(city), (state).
Signature of Authorized Officer or Agent	
Signature of Authorized Officer of Agent	
Printed Name and Title of Authorized Officer or Agent	
SUBSCRIBED AND SWORN BEFORE ME	
ON THIS THE DAY OF, 20	
NOTARY PUBLIC	
My Commission Expires:	

SCOPE AND SPECIFICATION RFQ #26008-A FIRE SPRINKLER INSPECTION

SCOPE OF WORK

Annual Fire Sprinkler Inspection located at the Fayette County Administrative Complex Public Works, Library, Old Court House Buildings, Justice Center, Senior Center and Fire Stations referenced. The lump sum price shall include Inspection of Fire Sprinklers, Fire Pumps and Flows, FM 200 inspections. All work shall be performed in accordance with applicable National Fire Protection Association (NFPA) code and standards and the Occupational Safety and Health Administration (OSHA) standards. Listed below are some of the primary requirements. Do not assume lists are all inclusive.

The Contractor shall clearly mark or flag all deficiencies. Upon completion of inspections, the Contractor shall contact the county Fire Marshal for a walkthrough and visual inspection of any infractions.

Listed below are some of the primary requirements. Do not assume lists are all inclusive.

- 1. All work shall be performed in accordance with applicable (NFPA code and standards and the OSHA standards. Listed below are some of the primary requirements. Do not assume lists are all inclusive.
- 2. The unit price for each location shall include all material, labor, equipment, and supplies necessary to provide inspection, testing, and maintenance of the Fire Protection Systems. Service shall include, but not be limited to, all equipment inspections, testing and maintenance as required by the applicable prevention codes. Items listed below should be considered representative of the requirements, not all inclusive.
- 3. Inspection, testing and maintenance services shall be provided on a regularly scheduled basis and performed in strict accordance with all applicable fire prevention codes, regulations and standards (e.g. National, State and Local fire codes).
- 4. Any necessary system repairs shall be provided on an as needed basis and performed in strict accordance with all applicable fire prevention codes, regulations, and standards. Repair services shall be provided on a time and material basis.
- 5. Contractor must provide a written estimate of the cost of repair services to the County's representative and receive prior authorization to proceed. Equipment repairs performed without such authorization will not be processed for payment.
- 6. Equipment repairs performed because of an emergency call will not require prior written estimates. However, no chargeable work shall be performed without verbal approval of the authorized staff member.

- 7. Repairs made by the contractor must not void U.L. listing or any other third-party laboratory listing.
- 8. Contractor shall maintain a well-stocked vehicle for handling maintenance and repair issues. Contractor shall have water gauge valves, and various escutcheon plates available at the time of inspection, should replacement be necessary.
- 9. Contactor shall use only replacement parts that are equal to or better than original manufacturer's parts as determined by the County's staff member.

10. Scheduling of inspections/tests:

- a. Contractor shall not schedule any test of horns and other test that may cause disruption of activities during normal working hours.
- b. Inspections/tests, which are not expected to cause any disruption of activities, may be performed during normal working hours.
- 11. Contractor shall provide a written report at the completion of the inspection and review with the county staff member/designee.

EMERGENCY WORK

- 1. Contractor shall have qualified service personnel on the job and at the work site within two (2) hours of notification. Contractor shall be paid at the hourly emergency rate for all work beginning from the time Contractor arrives on site.
- 2. If Contractor fails to arrive within the two-hour time frame, the work will be paid at the standard rate for the time of day/day of the week.
- 3. This service shall be available twenty-four (24) hours per day, three hundred sixty-five (365) days per year.
- 4. Contractor shall provide a procedure where the County can notify the Contractor directly of an emergency. An answering machine shall not be deemed an acceptable method for emergency response.

ANNUAL INSPECTIONS

Fire Alarm Systems

- 1. Test control panel functions including lamps, LED's, fuses interface equipment, primary power, and battery charger.
- 2. Visually inspect any radiant energy fire detectors, water flow switches, and supervisory signal devices where provided.
- 3. Test all supervisory devices including control valve tamper switches.

- 4. Visually inspect alarm system components including detection devices, notification devises, and control panels for obvious damage or trouble indicators.
- 5. Functionally test system smoke detectors with an aerosol smoke or other approved smoke device that insures smoke entry into chamber.
- 6. Functionally test thermal detectors using a heat device; fixed temperature devices will be tested by shorting across contact to avoid fusing the thermal element.
- 7. Functionally test manual pull stations (excludes kitchen range hood pulls).
- 8. Duct detectors will be tested using aerosol smoke or other approved smoke device that insures smoke entry into the chamber of the detector head. Testing of the air flow across the sampling tube is not included as part of the inspection or test.
- 9. Audible devices will be tested to insure operation.
- 10. Visual devises will be tested to insure operation.
- 11. Voice alarm system will be tested to ensure speakers are operational.
- 12. Firemen's telephone will be tested.
- 13. Elevator recall will be tested.
- 14. Elevator shaft smoke detector and heat detector will be tested.
- 15. Provide a written report at the completion of the inspection.

Dry Pipe Sprinkler Systems

- 1. A flow test will be conducted at each system riser main drain.
- 2. A standard partial hip test with the control valve only partially open will be conducted. The interior condition of the valve, clapper, latching devices, velocity check valve and facings shall be cleaned and checked. The operation and condition of the valve will be recorded.
- 3. A visual inspection will be conducted from floor level of all visible system components including pipe, hangers, and sprinklers. Components installed in concealed spaced and above hung ceilings are excluded.
- 4. Attic spaces that have dry systems installed in them will not have the sprinkler heads visually inspected unless attic has flooring installed on joists. Visual inspection of sprinkler heads and draining of low point drains will stop when the attic flooring stops.
- 5. All control valves will be fully exercised through their full range and returned to its normal position.

6. Every 3 years – the dry pipe valve will be full flow trip tested with the control valve fully opened. The inspectors test connection will be fully opened, and system shall be flushed until water discharge flows clear. The time it takes for the valve to trip and for water to reach the inspectors test connection shall be recorded and compared to previous trip test results.

Wet Pipe Sprinkler System

- 1. A flow test will be conducted at each riser main drain.
- 2. A visual inspection will be conducted from floor level of all visible system components including pipe, hangers and sprinklers. Components installed in concealed spaces and above hung ceilings are excluded.
- 3. All control valves will be fully exercised through their full range and returned to their normal position.

Standpipe and Hose System

- Component of the standpipe and hose system will be visually inspected from floor level to insure they appear to be in normal operating condition and are free from physical damage. Components include pipe, hangers, hose, valves, nozzles and cabinets that are installed and visible. Piping and components installed in concealed spaces or above ceilings are excluded. Inspection and testing of individual hoses is also excluded.
- 2. Alarm devices, if provided, will be tested by flowing water through provided outlets.
- 3. Local supervisory alarms will be tested.
- 4. Pressure reducing valves, if provided, shall be inspected to ensure that they are in the open position, not leaking, maintaining downstream pressures and are in good condition.
- 5. Supervisory switch (es) install on control valves will be tested.
- A flow test will be conducted at each system riser's main drain.

Fire Pump Systems

- 1. All control valves will be fully exercised through its full range and returned to its normal position.
- 2. Each fire pump assembly shall be tested under minimum (no flow), rated (100%), and peak (150%) flows of the fire pump by controlling the quantity of water discharged through approved devises. The pertinent visual observations and measurements will be documented. Test results will be compared to past tests and unadjusted field acceptance curve, if available.

SEMI-ANNUAL INSPECTIONS

Dry Pipe Sprinkler Systems

Supervisory switch (es) install on control valves will be tested.

Wet Pipe Sprinkler Systems

Supervisory switch (es) install on control valves will be tested.

Fire Pump Systems

Supervisory switch (es) install on control valves will be tested.

QUARTERLY INSPECTIONS:

Dry Pipe Sprinkler Systems

- 1. Flow test will be conducted at each system riser main drain.
- 2. Supervisory switch (es) installed on control valves will be tested.
- 3. Water flow alarm devices will be tested by flowing water through the by-pass test connection (s). Water flow alarm device (s) will be inspected to determine that the device (s) are free from mechanical physical damage. System gauges will be inspected to ensure that they are in good condition and that normal water pressure is being maintained. Hydraulic name plate, if provided, will be inspected to ensure that it is firmly attached to the sprinkler riser and that it is legible.
- 4. Pressure reducing valves, if provided, shall be inspected to ensure that they are in the open position, not leaking, maintaining downstream pressures and are in good condition. Priming water will be checked and adjusted as necessary.
- 5. Air pressure will be checked and the air compressor, if provided, shall be tested for proper operation.
- 6. The quick opening device, if provided, will be tripped tested, cleaned, inspected and reset. After being reset the devise will be checked for air leaks and control valves will be sealed open with the device left in service.
- 7. All known auxiliary drains will be drained after kip testing and during the cold weather inspection visit.
- 8. All local and supervisory alarms will be tested. The availability of spare sprinklers and wrenches will be verified.

Wet Pipe Sprinkler System

1. A flow test will be conducted at each system riser main drain.

- 2. Supervisory switch (es) installed on control valves will be tested.
- 3. Water flow alarm devices will be tested; tested by flushing water through inspector test connection (s) where accessible.
- 4. Water flow alarm device (s) will be inspected to ensure that they are in good condition and that normal water pressure is being maintained.
- 5. Hydraulic name plate, if provided, will be inspected to ensure that it is firmly attached to the sprinkler riser and that it is legible.
- 6. Pressure reducing valves, if provided, shall be inspected to ensure that they are in the open position, not leaking, maintaining downstream pressures and are in good condition.

Fire Pump System

- 1. All system components shall be visually inspected to ensure that the pump components appear to be in normal operating condition and are free from physical damage.
- 2. Verify that pump controller is in the proper position.
- 3. If appropriate, check transfer switch and the reverse phase alarm, and diesel fuel level.
- 4. Perform a no-flow test by starting the pump automatically. Electric pumps should run for a minimum of ten (10) minutes.
- 5. Inspection of jockey pump system to ensure no leakage at the shaft seal.
- 6. All local and supervisory alarms will be tested for proper operation.

Public Works, Old Courthouse, Library, Stonewall, Animal Shelter and Fire Stations #1, #2, #3, #4, #5, #6, #7, #10, #11 and Fire Training Center.

- Inspections are to be carried out on these buildings between September 1, 2025 -September 30, 2025
- 2. 5-year Obstruction Inspections are to be carried out on any of these buildings that are in need, when the **Annual** Inspection is conducted. These inspections were done last year so no additional inspections are anticipated during this contract period.

911 Center, Justice Center, and Senior Center.

- 1. Annual inspections are to be performed on these buildings between March 1, 2026, and March 30, 2026.
- 2. Semi-Annual inspections are to be performed in the 911 Center and Justice Center between September 1, 2025, and September 30, 2026.
- 3. Semi-Annual inspection for the Senior Center must be done in the week of December 26, 2025.
- 4. The Senior Center's annual inspection must be scheduled at least one month in advance to allow sufficient time to arrange for closing the building to the public.
- 5. 5-year Obstruction Inspections are to be performed on any of these building that are in need. (Shall be done during the Annual Inspection if needed.)
- 6. Fire Panels, alarms, and smoke detectors are to be inspected only at the Senior Center and 911 Center.
- 7. The Justice Center is the only building with an electric Fire Pump.

FM200 Annual Inspections: 911 Center and Justice Center

Annual inspections shall be performed between March 1, 2026, and March 30, 2026.

All inspections are to be coordinated through Building & Grounds Maintenance Department. Inspections must be scheduled at least 2 weeks in advance.

The Annual Inspection for the Senior Center must be scheduled one month or more in advance, to allow Fayette County time to have this building closed. Semi- Annual inspection for the Senior Center must be done the week of December 26, 2025.

PRICING SHEET RFQ #26008-A FIRE SPRINKLER INSPECTION

ANNUAL FIRE SPRINKLER INSPECTIONS & TESTING

Responder agrees to perform all the work described in the Contract documents for the following prices:

Fayette County Public Works	\$
Fayette County Old Courthouse	\$
Fayette CountyLibrary	\$
Fayette County Administrative Complex at Stonewall Avenue	\$
Fayette County Community Health Department	\$
Fayette County Animal Shelter	\$
Fayette County Fire Station #1	\$
Fayette County Fire Station #2	\$
Fayette County Fire Station #3	\$
Fayette County Fire Station #4	\$
Fayette County Fire Station #5	\$
Fayette County Fire Station #6	\$
Fayette County Fire Station #7	\$
5-year Internal Sprinkler Inspection at Station #7	\$
Fayette County Fire Station #10	\$
Fayette County Fire Station #11	\$
Fayette County Fire Training Center	\$
Fayette County 911 Center	\$
Fayette County Justice Center	\$
Favette County Justice Center Flectric Fire Pump	ė.

PRICING SHEET, Page 2

Fayette County	Senior Center:	Wet System		\$	
Fayette County	Senior Center:	Dry System		\$	
FM200 ANNUA	L INSPECTIONS	, Fayette Count	y 911 Center (1) \$	
FM200 ANNUA	L INSPECTIONS	, Fayette Count	xy Justice Cente	er (8) \$	
Total Price for In:	spections, Testir	ng, & Maintena	nce	\$	
REPAIRS	Unit of Measure	Estimated Yearly Quantity	Unit Price	Extended Price	
Standard Hourly Rate for repairs	Per Hour	40 Hours			
Emergency Hourly Rate	Per Hour	20 Hours			
After Hours Emergency Hourly Rate	Per Hour	10 Hours			
		Total Pri	ce for Repairs		
Total Price for Ins		& Maintenance			
Total Price for Rep					
Total of Inspectior	ns and Repairs		\$		
NOTES:					
materials,		allation, labor, a		d amount, including but not lim rounts. No additional charges w	
CONADANIV'S NIANA	Г				

EXCEPTIONS TO SPECIFICATIONS RFQ #26008-A FIRE SPRINKLER INSPECTION