

October 15, 2025

Subject: RFQ #26036-A: Brooks Park Fencing

Gentlemen/Ladies:

Fayette County, Georgia invites you to submit a quote for the above listed solicitation in accordance with the information and specifications contained herein.


A mandatory pre-quote conference will be held at 11:00am on Tuesday, October 21, 2025, at Brooks Park, 101 Railroad Avenue, Brooks, GA 30205 to provide an opportunity for you to become familiar with the site and work conditions, and to ask questions. Companies that attend will be invited to submit quotes for this project.

Address any questions you may have about this request for quotes to Sherry White via email to swhite@fayettecountyga.gov or fax to (770) 719-5544. Questions will be accepted until 2:00pm on Wednesday, October 22, 2025.

Quotes will be accepted until 3:00pm on Thursday, November 6, 2025. Please provide your quote and other information via email to Sherry White, Senior Contract Administrator at swhite@fayettecountyga.gov or fax to (770) 719-5544.

Purchasing Department office hours are Monday through Friday 8:00 a.m. to 5:00 p.m. The office telephone number is (770) 305-5420.

Sincerely,



Ted L. Burgess
Chief Procurement Officer

TLB/sw

Attachment

GENERAL TERMS AND CONDITIONS
RFQ #26036-A: Brooks Park Fencing

1. **Definitions:**
 - a. **Responder:** A company or individual who submits a quote in response to this RFQ.
 - b. **Successful Responder:** The Responder that is awarded a contract.
 - c. **Contractor:** The Successful Responder, upon execution of the contract.
 - d. **County:** Fayette County, Georgia.
2. **Quote is Offer to Contract:** Each quote constitutes an offer to become legally bound to a contract with the County, incorporating the Request for Quotes and the Responder's quote. The binding offer includes compliance with all terms, conditions, special conditions, specifications, and requirements stated in the Request for Quotes, except to the extent that a Responder takes written exception to such provisions, and the County agrees to the exceptions. All such terms, conditions, special conditions, specifications, and requirements will form the basis of the contract. The Responder should take care to answer all questions and provide all requested information, and to note any exceptions in the quote submission. Failure to observe any of the instructions or conditions in this Request for Quotes may result in rejection of the quote.
3. **Binding Offer:** To allow sufficient time for a contract to be awarded, each quote shall constitute a firm offer that is binding for ninety (90) days from the received by date to the date of award.
4. **References:** Include with your quote a list of three (3) jobs that your company has done that are of the same or similar nature to the work described in this Request for Quotes, on the form provided. Include all information as requested on the form.
5. **Preparation Costs:** The Responder shall bear all costs associated with preparing the quote.
6. **More Than One Quote:** Do not submit alternate quotes or options, unless requested or authorized by the County in the Request for Quotes. If a Responder submits more than one quote without being requested or authorized to do so, the County may disqualify the quotes from that Responder, at the County's option.
7. **Defects or Irregularities:** The County reserves the right to waive any defect or irregularity in any quote received. In case of a discrepancy between unit prices and extended prices, the unit price will govern unless the facts or other considerations indicate another basis for correction of the discrepancy.
8. **Prices Held Firm:** Prices quoted shall be firm for the period of the contract, unless otherwise specified in the quote. All prices for commodities, supplies, equipment, or other products shall be quoted FOB Destination, Fayette County or job site.
9. **Responder Substitutions:** Responders offering substitutions or deviations from specifications stated in the Request for Quotes, shall list such substitutions or deviations on the "Exceptions to Specifications" sheet provided, or on a separate sheet to be submitted with the quote. The absence of such list shall indicate that the Responder has taken no exception to the specifications. The evaluation of quotes and the determination as to equality and acceptability

of products or services offered shall be the responsibility of the County.

10. **Non-Collusion:** By responding to this Request for Quotes, the Responder represents that the quote is not made in connection with any competing Responder, supplier, or service provider submitting a separate response to this Request for Quotes, and is in all respects fair and without collusion or fraud.
11. **Ethics – Disclosure of Relationships:** Before a proposed contract in excess of \$10,000.00 is recommended for award to the Board of Commissioners or the County Administrator, or before the County renews, extends, or otherwise modifies a contract after it has been awarded, the Contractor must disclose certain relationships with any County Commissioner or County Official, or their spouse, mother, father, grandparent, brother, sister, son or daughter related by blood, adoption, or marriage (including in-laws). A relationship that must be reported exists if any of these individuals is a director, officer, partner, or employee, or has a substantial financial interest in the business, as described in Fayette County Ordinance Chapter 2, Article IV, Division 3 (Code of Ethics).

If such relationship exists between your company and any individual mentioned above, relevant information must be presented in the form of a written letter to the Director of Purchasing. You must include the letter with any bid, proposal, or price quote you submit to the Purchasing Department.

In the event that a Contractor fails to comply with this requirement, the County will take action as appropriate to the situation, which may include actions up to and including rejection of the bid or offer, cancellation of the contract in question, or debarment or suspension from award of a County contract for a period of up to three years.

12. **Evaluation:** Award will be made to the lowest responsive, responsible Responder, taking into consideration payment terms, vendor qualifications and experience, quality, references, any exceptions listed, and/or other factors deemed relevant in making the award. The County may make such investigation as it deems necessary to determine the ability of the Responder to perform, and the Contractor shall furnish to the County all information and data for this purpose as the County may request. The County reserves the right to reject any item, any quote, or all quotes, and to re-solicit for pricing.
13. **Payment Terms and Discounts:** The County's standard payment terms are Net 30. Any deviation from standard payment terms must be specified in the resulting contract, and both parties must agree on such deviation. Cash discounts offered will be a consideration in awarding the quote, but only if they give the County at least 15 days from receipt of invoice to pay. For taking discounts, time will be computed from the date of invoice acceptance by the County, or the date a correct invoice is received, whichever is the later date. Payment is deemed made, for the purpose of earning the discount, on the date of the check.
14. **Trade Secrets – Confidentiality:** If any person or entity submits a bid, proposal, or quote that contains trade secrets, an affidavit shall be included with the bid, proposal, or quote. The affidavit shall declare the specific included information which constitutes trade secrets. Any trade secrets must be either (1) placed in a separate envelope, clearly identified and marked as

such, or (2) at a minimum, marked in the affidavit or an attached document explaining exactly where such information is, and otherwise marked, highlighted, or made plainly visible. See O.C.G.A. § 50-18-72 (A)(34).

15. **Trade Secrets – Internal Use:** In submitting a quote, the Responder agrees that the County may reveal any trade secret materials contained in the quote to all County staff and officials involved in the selection process, and to any outside consultant or other third parties who may assist in the selection process. The Responder agrees to hold harmless the County and each of its officers, employees, and agents from all costs, damages, and expenses incurred in connection with refusing to disclose any material which the Responder has designated as a trade secret.
16. **Contract Execution & Notice to Proceed:** After an award is made, and all required documents are received by the County, and the contract is fully executed with signature of both parties, the County will issue a written Notice to Proceed. The County shall not be liable for payment of any work done or any costs incurred by any Responder prior to the County issuing the Notice to Proceed.
17. **Unavailability of Funds:** This contract will terminate immediately and absolutely at such time as appropriated and otherwise unobligated funds are no longer available to satisfy the obligations of the County under the contract.
18. **Insurance:** The Successful Responder shall procure and maintain the following insurance, to be in effect throughout the term of the contract, in at least the amounts and limits as follows:
 - a. **General Liability Insurance:** \$1,000,000 combined single limit per occurrence, including bodily and personal injury, destruction of property, and contractual liability.
 - b. **Automobile Liability Insurance:** \$1,000,000 combined single limit each occurrence, including bodily injury and property damage liability.
 - c. **Worker's Compensation & Employer's Liability Insurance:** Workers Compensation as required by Georgia statute.

Before a contract is executed, the Certificates of Insurance for all required coverage shall be submitted to the County. The certificate shall list an additional insured as follows:

Fayette County, Georgia
140 Stonewall Avenue West
Fayetteville, GA 30214

19. **Building Permits:** Work performed for the County requiring building permits by licensed Contractors will not have permit fees assessed, although any re-inspection fees for disapproved inspections will be the responsibility of the Contractor prior to final inspections and the Certificate of Occupancy or Certificate of Completion being issued.
20. **Unauthorized Performance:** The County will not compensate the Contractor for work

performed unless the work is authorized under the contract, as initially executed or as amended.

21. **Assignment of Contract:** Assignment of any contract resulting from this Request for Quotes will not be authorized, except with express written authorization from the County.
22. **Indemnification:** The Contractor shall indemnify and save the County and all its officers, agents and employees harmless from all suits, actions, or other claims of any character, name and description brought for or on account of any damages, losses, or expenses to the extent caused by or resulting from the negligence, recklessness, or intentionally wrongful conduct of the Contractor or other persons employed or utilized by the Contractor in the performance of the contract. The Contractor shall pay any judgment with cost which may be obtained against the County growing out of such damages, losses, or expenses.
23. **Severability:** The invalidity of one or more of the phrases, sentences, clauses or sections contained in the contract shall not affect the validity of the remaining portion of the contract. If any provision of the contract is held to be unenforceable, then both parties shall be relieved of all obligations arising under such provision to the extent that the provision is unenforceable. In such case, the contract shall be deemed amended to the extent necessary to make it enforceable while preserving its intent.
24. **Delivery Failures:** If the Contractor fails to deliver contracted goods or services within the time specified in the contract, or fails to replace rejected items in a timely manner, the County shall have authority to make open-market purchases of comparable goods or services. The County shall have the right to invoice the Contractor for any excess expenses incurred, or deduct such amount from monies owed the Contractor. Such purchases shall be deducted from contracted quantities.
25. **Substitution of Contracted Items:** The Contractor shall be obligated to deliver products awarded in this contract in accordance with terms and conditions specified herein. If a Contractor is unable to deliver the products under the contract, it shall be the Contractor's responsibility to obtain prior approval of the ordering agency to deliver an acceptable substitute at the same price quoted in the Contractor's original bid. In the event any Contractor consistently needs to substitute or refuses to substitute products, the County reserves the right to terminate the contract or invoke the "Delivery Failures" clause stated herein.
26. **Inspection and Acceptance of Deliveries:** The County reserves the right to inspect all goods and products delivered. The County will decide whether to accept or reject items delivered. The inspection shall be conclusive except with respect to latent defects, fraud, or such gross mistakes as shall amount to fraud. Final inspection resulting in acceptance or rejection of the products will be made as soon as practicable, but failure to inspect shall not be construed as a waiver by the County to claim reimbursement or damages for such products which are later found to be in non-conformance with specifications. Should public necessity demand it, the County reserves the right to use or consume articles delivered which are substandard in quality, subject to an adjustment in price to be determined by the Purchasing Director.
27. **Termination for Cause:** The County may terminate the contract for cause by sending written notice to the Contractor of the Contractor's default in the performance of any term of this

agreement. Termination shall be without prejudice to any of the County's rights or remedies by law.

28. **Termination for Convenience:** The County may terminate the contract for its convenience at any time with 10 days' written notice to the Contractor. In the event of termination for convenience, the County will pay the Contractor for services performed. The County will compensate partially completed performance based upon a signed statement of completion.
29. **Force Majeure:** Neither party shall be deemed to be in breach of the contract to the extent that performance of its obligations is delayed, restricted, or prevented by reason of any act of God, natural disaster, act of government, or any other act or condition beyond the reasonable control of the party in question.
30. **Governing Law:** This agreement shall be governed in accordance with the laws of the State of Georgia. The parties agree to submit to the jurisdiction in Georgia, and further agree that any cause of action arising under this agreement shall be required to be brought in proper venue in Fayette County, Georgia.
31. **Open Records Act:** In the event that the Contractor receives, and responds to, a request for information as provided in Georgia's Open Records Act (O.C.G.A. § 50-18-70 *et seq.*), the Contractor shall promptly provide the County the same information provided to the initiator of the request for information. Contractor shall email such information to the county's Custodian of Records at tsmith@fayettecountyga.gov.

Checklist of Required Documents

*(Be Sure to Return This Checklist and
the Required Documents in the order listed below)*

RFQ #26036-A: Brooks Park Fencing

Company information – on the form provided _____

Contractor Affidavit under O.C.G.A. § 13-10-91(b)(1) _____

Pricing sheet _____

List of exceptions, if any – on the form provided _____

References – on form provided _____

Addenda, signed, if any are issued _____

COMPANY'S NAME: _____

COMPANY INFORMATION
RFQ #26036-A: Brooks Park Fencing

A. COMPANY

Company Name: _____

Physical Address: _____

Mailing Address (if different): _____

Website (if applicable): _____

B. AUTHORIZED REPRESENTATIVE

Signature: _____

Printed or Typed Name: _____

Title: _____

E-mail Address: _____

Phone Number: _____

C. PROJECT CONTACT PERSON

Name: _____

Title: _____

E-mail Address: _____

Phone Number: _____

REFERENCES
RFQ #26036-A: Brooks Park Fencing

Please list three (3) references for current or recent customers who can verify the quality of service your company provides. Projects of similar size and scope are preferable.

1. Government/Company Name _____

City & State _____

Work or Service Provided _____

Approximate Completion Date _____

Contact Person and Title _____

Phone _____ Email _____

2. Government/Company Name _____

City & State _____

Work or Service Provided _____

Approximate Completion Date _____

Contact Person and Title _____

Phone _____ Email _____

3. Government/Company Name _____

City & State _____

Work or Service Provided _____

Approximate Completion Date _____

Contact Person and Title _____

Phone _____ Email _____

COMPANY'S NAME: _____

Contractor Affidavit under O.C.G.A. § 13-10-91(b)(l)

The undersigned contractor ("Contractor") executes this Affidavit to comply with O.C.G.A § 13-10-91 related to any contract to which Contractor is a party that is subject to O.C.G.A. § 13-10-91 and hereby verifies its compliance with O.C.G.A. § 13-10-91, attesting as follows:

- a) The Contractor has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program;
- b) The Contractor will continue to use the federal work authorization program throughout the contract period, including any renewal or extension thereof;
- c) The Contractor will notify the public employer in the event the Contractor ceases to utilize the federal work authorization program during the contract period, including renewals or extensions thereof;
- d) The Contractor understands that ceasing to utilize the federal work authorization program constitutes a material breach of Contract;
- e) The Contractor will contract for the performance of services in satisfaction of such contract only with subcontractors who present an affidavit to the Contractor with the information required by O.C.G.A. § 13-10-91(a), (b), and (c);
- f) The Contractor acknowledges and agrees that this Affidavit shall be incorporated into any contract(s) subject to the provisions of O.C.G.A. § 13-10-91 for the project listed below to which Contractor is a party after the date hereof without further action or consent by Contractor; and
- g) Contractor acknowledges its responsibility to submit copies of any affidavits, drivers' licenses, and identification cards required pursuant to O.C.G.A. § 13-10-91 to the public employer within five business days of receipt.

Federal Work Authorization User Identification Number

Date of Authorization

Name of Contractor

26036-A: Brooks Park Fencing
Name of Project

Fayette County, Georgia
Name of Public Employer

I hereby declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, _____, 20____ in _____ (city), _____ (state).

Signature of Authorized Officer or Agent

Printed Name and Title of Authorized Officer or Agent

SUBSCRIBED AND SWORN BEFORE ME
ON THIS THE _____ DAY OF _____, 20_____.

NOTARY PUBLIC

My Commission Expires: _____

SCOPE AND SPECIFICATION
RFQ #26036-A: Brooks Park Fencing

This Request for quotes is for the refencing of Brooks Park baseball fields #2, #4 and #5. Brooks Park is located at the southern tip of Fayette County at 101 Railroad Avenue, Brooks, GA 30205. All work shall be completed between **November 15, 2025**, and **February 1, 2026**.

FENCING REPLACEMENT

Install 10' fence from the end of the dugouts to where the dirt infield and grass outfield meet. Install 8' fencing around baseball fields. Field fencing shall align with the front of the dugouts.

Install one double gate on each field and single gates as specified. Install 10' wide x 8' high pitching wings on Fields 4 and 20' wide x 8' high pitching wings on Field 5. The distance between the two wings on each field shall be 70'. Contractors are responsible for measuring each field for exact distances.

Grounding rods shall be positioned so as not to be hazardous to ball players and spectators.

SPECIFICATIONS INCLUDE:

FABRIC: 9-gauge core extruded bonded vinyl (2" mesh) black knuckles, installed on the inside of the playing areas, with knuckles up. FABRIC SHALL BE STRETCHED TAUT USING A STRETCHING BAR.

TOP, MIDDLE AND BOTTOM RAIL: Sideline Top Rail shall be 1.660" O.D. BLACK Master Color "LCX" LG-40 pipe. Rails joined with 1.660" 6" long sleeve. Sideline fencing 10' in height shall consist of top rail, middle rail, bottom rail, and retaining rail 12" above bottom rail. Sideline fencing 8' in height shall consist of top rail, middle rail, and tension wire at the bottom. Sideline Fencing that is 10' in height shall be from end of the dugout on each side where the dirt infield and grass outfield meet. The outfield top rail between foul poles shall be 1.660" O.D. YELLOW Master Color "LCX" LG-40 pipe instead of Black. Fittings for the yellow top rail shall either be yellow or painted yellow. Outfield fencing shall consist of only top rail and 7-gauge tension wire at the bottom. Pitching wings 8' in height shall consist of top rail, middle rail, bottom rail and retaining rail 12" above bottom rail. Attach all tension wires with hog rings every 2.

TERMINAL POSTS: 4" O.D. Black Master Color 'LCX' LG-40 pipe. Post shall be either 10' or 8' above grade as called for in the specifications. Below grade concrete footings shall be 16" diameter, 48" depth.

LINE POSTS: 2.875" O.D. Black Master Color 'LCX' LG-40 pipe. Line posts set 10' on center maximum spacing except the outfield which shall be 8' apart. Line Post shall be either 10' or 8' above grade as called for in the specifications. Below grade concrete footings shall be 11 1/2" diameter, 42" depth.

FITTINGS: Black regular brace band and carriage bolt, black aluminum rail end, black pressed steel eye top, black pressed steel dome caps, ¼" by ¾" heavy steel tension bar, black regular tension band to be spaced and carriage bolt.

GATES (Gates braced and trussed as necessary):

- a. SINGLE SWING GATE: Framework of 1 5/8" Schedule 40 pipe in 9-gauge core wire extruded black.
- b. DOUBLE SWING GATE: Framework of 1 5/8" Schedule 40 pipe in 9-gauge core wire extruded black.

GATE POST: SINGLE GATES: 3" O.D. Black LG-40 PIPE. Gates should be the same height as adjoining top rail and bottom rail. Concrete footing: 10" diameter, 24" depth. Gate locations shall be:

- a. one gate in each dugout leading out to the fields.
- b. On field 2 one gate beside each dugout leading to the field.
- c. On fields 4 and 5 on sides closest to the concession stand

12' DOUBLE SWING GATE: 3" O.D. Black LG-40 PIPE. Gates should be the same height as adjoining top rail and bottom rail/tension wire. Concrete footing: 10" diameter, 24" depth. 12' double gate located where gates are currently located on fields 4 and 5. Gate location on field 2 shall be relocated. General location is even with the batting cage.

TIE WIRE: 6 ½" 9-gauge black steel tie wire spaced 15" on center for line post and 18" on center for rails. All tie wires to be twisted to face outside of playing field.

NUTS & BOLTS: Shall be painted black.

BACKSTOP REPLACEMENT

Install a 20' tall backstop with a 5' overhang extending from dugout to dugout. Include an additional retaining bar 12 inches above the bottom rail, along with the standard middle rail. Overhang welding of posts is permitted.

Contractors are responsible for measuring the field to verify exact distances.

Grounding rods shall be positioned to avoid any hazard to ball players and spectators.

SPECIFICATIONS INCLUDE:

FABRIC: All fabric 20' tall and the 5' overhang shall be 9-gauge core extruded bonded. (2" mesh) black, installed knuckles up. Fabric shall be stretched taut using a stretching bar.

TOP RAIL: 1 5/8-inch O.D. Black Master Color 'LCX' LG-40 pipe. 21' lengths, joined with 1 5/8-inch sleeve where applicable.

MIDDLE RAIL: Shall be attached to the entire length of the back stop. An extra middle rail retaining bar shall be placed 24" from the bottom rail on the back section directly behind the catcher.

BOTTOM RAIL: Shall be attached to the entire length of the back stop. An extra bottom rail retaining bar shall be placed 12" from the bottom rail.

LINE POST: Set 10' on center maximum spacing if applicable and line posts shall be 2 1/2" O.D. Black Master Color LCX LG-40 pipe

CONCRETE FOOTINGS: Posts to be buried 4' deep in concrete.

TERMINAL POSTS: 4" O.D. Black Master Color 'LCX' LG-40 pipe.

FITTINGS: Black regular brace band and carriage bolt, black aluminum rail end, black steel eye top, black aluminum caps, 1/4" by 3/4" heavy steel tension bar, black regular tension band to be spaced and carriage bolt.

TIE WIRE: 6 1/2" 9 gage black steel tie wire spaced 15" on center for line post and 18" on center for rails. All tie wires to be twisted to face outside of playing field.

FABRIC SHALL BE STRETCHED TAUT USING A STRETCHING BAR.

NUTS & BOLTS: Should be painted black

DUGOUT REPLACEMENT

Remove and dispose of all existing dugout roof materials and fencing. Install new fencing and dugout roofs on both the first-base and third-base sides where the current dugouts are located.

On Field 2, terminal posts and line posts shall be affixed to the top of the concrete.

Contractors are responsible for measuring the field to verify exact distances.

Grounding rods shall be positioned to ensure they are not hazardous to ball players or spectators.

SPECIFICATIONS INCLUDE:

- Metal Roof: 26 gage Multi Rib Metal Roof (Black Color)
- Metal Roof to Overhang 2" all sides
- All dugout roof rails shall be spaced 36' apart. Roof rails shall be black to match backstop.
- Black Fence Fabric around dugouts.

- Gates to enter dugouts from outside the field on fields 4 and 5 shall be located of the side to the concession stand.
- All vertical supports 2 7/8" in black to match backstop.
- All rails 1 5/8" in black to match backstop.
- 1 1/2" rigid pipe clamps in black to match backstop.
- All end rail cups, brace bands, end rail clamps and hardware shall be black to match backstop.
- Dugouts shall remain as they are currently. Please match the heights, roof material, and slopes of rooks like the dugout roofs located on fields 1 and 3.

BLEACHER COVER REPLACEMENT BROOKS FIELDS #1 and #2

Replace posts, top rails, and fabric around the existing bleacher covers beside Field 2 with materials matching the current size. Replace all posts and fabric around the bleacher covers on the first-base side of Field 1 to the existing dimensions. The top rails and top fabric on the first-base side of Field 1 shall be reused.

Contractors are responsible for verifying and measuring all distances prior to installation.

SPECIFICATIONS INCLUDE:

FABRIC: 9 gauge extruded bonded vinyl (2" mesh) black, installed on the outside with knuckles out. FABRIC SHALL BE STRETCHED TAUT USING A STRETCHING BAR.

TOP RAILS: Rails shall be 1.660" O.D. BLACK Master Color "LCX" LG-40 pipe. Rails joined with 1.660" 6" long sleeve.

FITTINGS: Black regular brace band and carriage bolt, black aluminum rail end, black pressed steel eye top, black pressed steel dome caps, 1/4" by 3/4" heavy steel tension bar, black regular tension band to be spaced and carriage bolt.

NUTS & BOLTS: Should be painted black

SUCCESSFUL CONTRACTOR SHALL BE RESPONSIBLE FOR THE FOLLOWING ITEMS:

1. Follow the current ASTM standard guide for fencing for baseball and softball fields.
2. Touching up with black paint all scratched areas which occur during installation.
3. Removal and disposal of old fencing and clean up. All sidelines and outfield post shall be dug up and not just cut off at ground level. Backstop post can be cut off 6" below ground level.
4. Removing all signs attached to the existing fence and placed at a location designated by the County.

5. Reattaching conveyor belt to the new backstop.
6. Clean up, filling holes where old poles were removed, and seeding at each new pole.
7. The quotes shall include all labor and equipment and materials needed to complete the work.
8. ***Obtain all necessary permits*** to perform the work and arrange for inspection by authorities having jurisdiction.
9. All utility locates called in before any work takes place.
10. The contractor is responsible for all damage done by crew, which includes but not limited to damages to sod, irrigation systems, electrical wiring, signs, structures, concrete, asphalt, or any other county equipment or property improvements. Any repair to electrical wiring shall be completed by a licensed electrician. It is highly suggested the contractor take photos of all pre-existing conditions around or within the vicinity of their work and staging areas. All photos should be submitted to the county prior to mobilizing a crew to the project site. All damages shall be supported by photographs and reported to Fayette County Maintenance Department, immediately. Any damage repair shall be approved by Fayette County.
11. The Contractor shall be responsible for the conduct of their personnel on County property. All Fayette County properties are smoke-free, tobacco free, and vape free.
12. All Fayette County properties are smoke-free, tobacco free, and vape free. Contractor and subcontractors shall abide by this county policy.
13. All work shall be done in coordination with the County's representative. A preconstruction meeting should be required prior to work being held. Fayette County's working hours are between 8:00 a.m. and 5:00 p.m. Monday through Friday. All modifications to those hours must be in writing by the successful contractor and accepted by Fayette County.
14. Fayette County personnel will perform periodic inspections of work done by the contractor. Footings will need to be inspected by the Building Safety Department prior to pouring the concrete around the poles.
15. The job site shall be kept clean and orderly. The work area shall be denoted as a construction area during the duration of the project.

PRICING SHEET
RFQ #26036-A: Brooks Park Fencing

Responder agrees to perform all the work described in the Contract documents for the following prices:

BALL FIELD NO.	LUMP SUM
FIELD #2 FENCING, DUGOUTS, AND BACKSTOP REPLACEMENT	
FIELD #4 FENCING, DUGOUTS, AND BACKSTOP REPLACEMENT	
FIELD #5 FENCING, DUGOUTS, AND BACKSTOP REPLACEMENT	
BLEACHER COVER REPLACEMENT	
TOTAL FENCING PRICE	

NOTES:

1. All applicable charges shall be included in your total quoted amount, including but not limited to materials, equipment, labor, and any other amounts. No additional charges will be allowed after the quote received by date.

All work must be completed between November 15, 2025, and February 1, 2026.

State time needed to commence work after notice to proceed is issued _____ Days.

State length of time needed to complete project _____ Days.

COMPANY'S NAME: _____

EXCEPTIONS TO SPECIFICATIONS
RFQ #26036-A: Brooks Park Fencing

Please list below any exceptions or clarifications to the specifications of this bid. Explain any exceptions in full.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

COMPANY'S NAME: _____